

VIDEO CABLE

for Toyota Touch, Scion Bespoke Monitors



ID: 858505



DESCRIPTION

This cable allows you to arrange audio and video input in Toyota with Touch system, Scion with Bespoke system without using a video interface. After the cable connection «AV input» icon is automatically activated in the monitor and video in motion is unlocked using the additional 28 pin cable. As a result you receive fully functional AV input with possibility to connect composite video signal PAL/NTSC and also linear stereo signal.

Thus you will be able to connect the video device, e.g. DVD player, Android box or TV receiver to the OEM monitor without using the video interface

You will also enjoy the possibility to connect rear view camera using the cable for video in motion unlock. If you already have the OEM camera, it will continue working the same way as before.

All OEM functions of the monitor will work in the same way as before

The most frequently asked questions about camera and video connection cables.

Features

- Video devices connection
- Video in motion unlock*
- rear view camera connection
- PAL/NTSC support

Note! We do not recommend using this function while driving.

COMPATIBILITY

Toyota

Model	Model years		System / Monitor	Additional compatibility conditions
	From	To		
Auris	2010	2014	Touch Touch&Go Touch&Go Plus	28 pin socket on the monitor for cable connection
Auris Hybrid	2010	2014		
Avensis	2011	2014		
Camry	2011	2014		
Camry Hybrid	2011	2014		
Corolla	2011	2013		
Fortuner	2011	2014		
GT86	2012	2015		
Highlander	2012	2014		
Highlander Hybrid	2012	2014		
Hilux	2011	2014		
Matrix	2011	2014		
Prius	2011	2014		
Prius C	2012	2014		
Prius MPV+	2012	2014		
Prius Plug-in Hybrid	2012	2014		
RAV4	2010	2014		

Model	Model years		System / Monitor	Additional compatibility conditions
	From	To		
Tacoma	2012	2014	Touch Touch&Go Touch&Go Plus	28 pin socket on the monitor for cable connection
Venza	2013	2014		
Verso	2009	2014		
Verso S	2010	2014		
Yaris	2011	2014		
Yaris Hybrid	2012	2014		

Scion

Model	Model years		System / Monitor	Additional compatibility conditions
	From	To		
FR-S	2013	2015	Bespoke	28 pin and 16 pin socket on the monitor for cables connection
iQ	2013	2015		
xB	2013	2015		
xD	2013	2015		
tC	2013	2015		

MANUALS

To adjust the video system of the input video signal or switch the picture mode (4:3, 16:9), refer to the user manual of your monitor.


In case you connect the rear view camera, the camera should be powered from the ACC, i.e. the camera should work constantly but not only when the rear gear is on.

Note! After this cable connection the OEM microphone of OEM BT-Hands-Free will work the same way as before (if it has been installed). If there is no OEM microphone in your car, you will need the AV cable with microphone. Please, contact the manager to purchase that cable (or leave the comments in the order).

Package


- AV cable
- Cable for camera connection

 germeslab.com

 [Germes Lab](https://www.youtube.com/GermesLab)

 facebook.com/GermesLab

 [twittter.com/GermesLab](https://twitter.com/GermesLab)

 +852 397 33 882 (for English speaking users)
+1 323 7044 552 (for English speaking users)
+52 55 1163 8901 (para los usuarios que hablan español)
+55 61 4042 1515 (para os usuarios quem falam portugues)